

# INDEX MAPS.

## T.11N R.8W 2<sup>nd</sup> Mer.

	177-180	177-179	178-179	178-179	178-179	178
182	6 200	5 195	4 191	3 188	2 185	1 177
	199	199	194	191	188	185
181	7 198	8 194	9 190	10 187	11 184	12 176
	198	198	194	190	187	184
181	18 198	17 193	16 190	15 187	14 184	13 176
	197	197	193	189	187	184
181	19 197	20 192	21 189	22 186	23 183	24 176
	196	196	192	189	186	183
180	30 196	29 192	28 189	27 186	26 183	25 176
	195	195	191	189	186	182
180	31 195	32 191	33 188	34 185	35 182	36 175
	173-175	173-175	173-175	173-174	173-174	174

## T.12N R.8W 2<sup>nd</sup> Mer.

	206-208	206-208	206-208	206-207	206-207	207						
210	6	230	5	225	4	221	3	217	2	213	1	205
	229		229		224		220		217		213	
209	7	229	8	224	9	220	10	216	11	213	12	205
	229		228		223		220		216		213	
209	18	228	17	223	16	219	15	216	14	212	13	204
	228		227		223		219		215		212	
209	19	227	20	222	21	219	22	215	23	211	24	204
	227		226		222		218		215		211	
209	30	226	29	222	28	218	27	215	26	211	25	204
	226		225		221		218		214		210	
208	31	225	32	221	33	218	34	214	35	210	36	203
	201-203	201-203	201-203	201-203	201-202	201-202	201-202	201-202	202			

The figures on the lines refer to the page.

201

Township No 12 North of Range No 8 West of the 2<sup>d</sup> Mer. Sec.

ch. 16, South Boundary  
East Ona Kaman line On the South Boundary of sec. 31.  
T. 12. N. R. 8 W.

2.50 To a Brook 4 links mid, corner S. W.

40.00 Set a timber post in a post

80.00 Set a timber post for the cor of sec. 31 & 32 from which  
Land held & rich Timber Gum, Good for farming  
Timber Oak, Hickory, Ash, Poplar, Sugar, Beech, &c.

East Ona Kaman line On the South Boundary of sec. 32.  
T. 12. N. R. 8 W.

32.50 To a Brook 8 links mid, corner S. W.

40.00 Set a timber post in a post

80.00 Set a timber post for the cor of sec. 32 & 33.  
Land held and good soil; rather wet. Timber Oak,  
Hickory, Beech Maple.

East Ona Kaman line On the South Boundary of sec. 33.  
T. 12. N. R. 8 W.

40.00 Set a timber post in a post.

44.00 To a Brook 3 links mid, corner S. W.

80.00 Set a timber post for the cor of sec. 33 & 34.  
Land same as last mile.

East Ona Kaman line On the South Boundary of sec. 34.

40.00 Set a timber post in a post.

60.50 To a Brook 6 links mid, corner S.

80.00 Set a timber post in a post for the cor of sec. 34 & 35.  
Land sec. 1/2 mile same as last mile, last 1/2 nothing  
up to the timber all blown down by the high wind  
the Spring.

East Ona Kaman line On the South Boundary of sec. 35.  
T. 12. N. R. 8 W.

6.00 To a Brook 16 links mid, corner S.

40.00 Set a timber post in a post.

## T. N. 12. N. R. N. 8 W. Q. 1. Min. Sec.

80.00 Set a temporary post for the corner of Sec. 35 T36.  
 Sec. 36 1/2 mile rolling; last 1/2 level; Timber Buck  
 Sugar. Oak, Ash, Hickory  
 Timber all blown down by the wind;

East On a line from the South Corner of Sec. 36.  
 T. 12. N. R. 8 W.

40.00 Set a temporary post in the corner.

75.69 Intersect the Range line 572 links North of the post  
 corner of Sec. 36. T. 12. N. R. 8 W.  
 Good land and soil. Good farming land;  
 Timber Oak, Hickory, Gum, Maple, Poplar, &c.

West On the true line between Sec. 1 & 36. T. 11 & 12 N. R. 8 W.  
 " " " On the South Corner of Sec. 36.

40.00 Set the temporary post in the corner on the true line from which  
 Maple 12 in dia. bears S 81 E 30 the dist. 1/4  
 Oak 14 " " " N 41 W 12 "

80.00 Set the temporary post on the true line for the corner of Sec.  
 35 T36 from which Logwood 6 in dia. bears N 87 W 12  
 links dist. 1/4 Do 7 in dia. bears N 7 W 3 the dist.

West On the true line On the S. Corner of Sec. 35.  
 T. 12. N. R. 8 W. May 1st 1811

40.00 Set the temporary post in the corner at the true line from which  
 Gum 12 in dia. bears N 63 E 15 the dist. 1/4  
 Oak 8 " " " N 21 W 60 " "

80.00 Set a post for the corner of Sec. 35 T34 on the true line from  
 which Oak 5 in dia. bears N 39 E 81 the dist.  
 and a Buck 11 " " " N 31 E 53. "

West On the true line on the S. Corner of Sec. 34.  
 T. 12. N. R. 8 W.

40.00 Set the temporary post in the corner on the true line from which  
 Hickory 12 in dia. bears N 21 E 28 the dist. 1/4  
 Gum 5 " " " S 24 W 31 " "

203

T. No 12. A. R. No 8 W D<sup>nd</sup> Mm. D<sup>nd</sup>

80.00 Set the temp<sup>st</sup> post for the cor. of sec. 33 & 34 for the true line from which Clin. 12 in dist. bears. S 54 W. 26 lbs. dist. and a W Oak. 18 " " " N 12 W. 5 " "

West On the true line on the South Boundary of sec. 33.  
T. No. 12. A. R. 8 W.

40.00 Set the temp<sup>st</sup> 1/4 section on the true line from which Newby 10 in dist. bears. S 5 W. 34 lbs. dist. Va.  
W Oak 30 " " " N 77 W. 7 " "

80.00 Set the temp<sup>st</sup> post on the true line for the cor. of sec. 32 & 33 from which Reek. 10 in dist. bears. N 20 E 33 lbs. dist. and a Lynn. 10 " " " S 38 W 19 " "

West On the true line on the South Boundary of sec. 32  
T. No. 12. A. R. 5 W

40.00 Set the temp<sup>st</sup> 1/4 section on the true line from which W Oak. 20 in dist. bears. N 19 W. 15 lbs. dist. Va.  
W Walnut 5 " " " S 25 E. 13 " "

80.00 Set the temp<sup>st</sup> post on the true line for the cor. of sec. 31 & 32 from which Reek. 14 in dist. bears. N 18 W. 35 lbs. dist. and a W Oak. 24 " " " S 42 W. 21 " "

West On the true line on the South Boundary of sec. 31.  
T. No. 12. A. R. 8 W

40.00 Set the temp<sup>st</sup> 1/4 section on the true line from which B. Oak. 10 in dist. bears. N 80 W. 18 lbs. dist. Va.  
Do. 11 " " " S 47 W. 32 " "

75.69 Set a post at the intersection of the true line 282 lbs. South of the intersection of the Random line for the cor. of sections. 11 & 12 N. R. 5 8 & 9 W from which B. Oak. 36 in dist. bears. S 81 W. 18 lbs. dist. Va.  
Reek. 30 " " " S 82 E 48 " "

East Boundary.

V. C 40

North On the East Boundary of sec. 36. T. No. 12. A. R. 8 W

36.50 To a Rock 12 links wide, corner 1 W



T. N. 12. N. R. N. 8 W. 2<sup>nd</sup> Mm. Ind.

40.00 Set a  $\frac{1}{4}$  section from which  
 Hick 13 in air: beams. N 34 W. 12 the dist. & a  
 W Oak. 12 " " " N 87 E. 34 " "

80.00 Set a post for the cor of sec 25 & 36 from which,  
 W Hick. 9 in air: beams. N 84 E. 11 links dist. & a  
 W Oak. 12 " " " N 60 W. 37. "

Land  $\frac{1}{4}$  mile good for farming: last  $\frac{1}{4}$  mow  
 can be rather wet. The timber all blown down by the  
 high winds this spring.

North On the East Boundary of sec. 25 T. 12. N. R. 8 W

40.00 Set a  $\frac{1}{4}$  section from which  
 Hick. 12 in air: beams. N 9 W. 46 the dist. & a  
 Sugar. 7 " " " N 70 E. 83. "

80.00 Set a post for the cor of sec 24 & 25 from which,  
 W Walnut 5 in air: beams. S 89 W. 19 links dist. & a  
 Sugar. 13 " " " S 1 W. 61 " "

Land part rolling and part level; Timber Hick,  
 Sugar, Poplar, Oak, & Hick; Rather wet;  $\frac{1}{4}$   
 mile fallen timber.

North On the East Boundary of sec. 24 T. 12. N. R. 8 W

1.00 To a Brook 5 miles wide, across W.

34.50 " " " " " " " " " "

40.00 Set a  $\frac{1}{4}$  section from which  
 Hick 11 in air: beams. N 42 E. 9 links dist. & a  
 Maple. 9 " " " S 77 W. 15 " "

80.00 Set a post for the cor of sec 23 & 24 from which,  
 W Oak. 15 in air: beams. S 23 E. 70 the dist. & a  
 Sugar. 13 " " " N 53 W. 86. "

Land level; Timber Oak, Hick & Maple. Good &  
 Land too wet for farming.

North On the East Boundary of sec. 13 T. 12. N. R. 8 W

40.00 Set a  $\frac{1}{4}$  section from which

Hick 78 in air: beams. S 43 W. 28 links dist. & a

55.00 To a Brook 6 lks mid, comes N.W.  
 65.50 To a Spring branch. 3 lks mid, comes N. The Spring  
 150 pms East of the line.  
 80.00 Set a post for the cor of S. 12 N. 13. from which,  
 Sugar. 8 in air: bears S 48 E. 12 links dist; Va,  
 W Oak. 9, " " S 54 W. 15 " "  
 Land N. 1/2 with level and int. 3<sup>rd</sup> rate. The last 1/2  
 mile a little rolling and middling good farming,  
 and Timber Oak, Beech, Poplar, Hick N.Y.

---

North On the East Bound. of S. 12. N. 13. 877  
 11.00 To a Brook. 10 lks mid, comes N.  
 26.50 " " Small Spring branch. comes S.W.  
 40.00 Set a 1/4 post from which,  
 Poplar. 48 in air: bears S 77 W 24 lks dist; Va,  
 W Oak. 18 " " " S 57 E. 16 " "  
 78.50 To a Brook 3 lks mid, comes S.E.  
 80.00 Set a post for the cor of S. 12 N. 13 from which,  
 Beech. 12 in air: bears S 64 E. 28 links dist; Va,  
 Lp. 8 " " " S 87 W 34 " "  
 Land middling good for farming; Timber Oak, Beech  
 Poplar, Sugar, Ash.

---

North On the East Bound. of S. 12. N. 13. 877.  
 28.00 To a Brook. 12 links mid.  
 40.00 Set a 1/4 post from which,  
 Sugar. 8 in air: bears S 7 E. 22 links dist; Va,  
 Poplar 36 " " " N 47 W 45 " "  
 75.00 To a Brook 4 links mid, comes N. Good water.  
 79.00 " " No. 3 " " " W.  
 80.00 Set a temp. post for the S. 12 N. 13. N. No 7877  
 Land part broken and part good farming land,  
 Timber Beech, Sugar, Ash Poplar. Oak &c.

---

North Bound. of

T. N. 12. S. R. N. 8 W. 2<sup>nd</sup>. M. Ind.<sup>a</sup>

East	Random line 6 & 31. T. 12 S. R. 8 W. 2 <sup>nd</sup> . M. Ind. <sup>a</sup> on the South Boundary of sec. 31. T. 13. S. R. 8 W. Feb. 5 <sup>th</sup> 1844. Random line
40.00	Set a trip post (trip post)
80.00	Set a trip post for the cor of sec. 31 & 32 Land generally level rich and good for farming; Timber Beech, Sugar Poplar & Ash &c
East	On a Random line At the South Boundary of sec. 32, T. 13. S. R. 8 W.
40.00	Set a trip post in super.
80.00	" " " post for the cor of sec. 32 & 33. Land rather broken with deep cuts, rich soil.
East	On a Random line At the South Boundary of sec. 33. T. 13. S. R. 8 W.
40.00	Set a trip post in super.
40.50	Top Brook 6 links mid, corner W.
57.50	" " Do. 6 " " " "
80.00	Set a trip post for the cor of sec. 33 & 34. Land rolling rich and good for farming; Timber Beech, Sugar & Poplar.
East	On a Random line On the South Boundary of sec. 34 T. 13. S. R. 8 W.
20.00	Top Brook 10 links mid, corner NW.
40.00	Set a trip post in super.
50.00	Top Brook 30 links mid, corner NW.
80.00	Set a trip post for the cor of sec. 34 & 35. Land R. 1/2 mile from; the last creek bottom & rather low.
East	On a Random line On the South Boundary of sec. 35. T. 13. S. R. 8 W.
40.00	Set a trip post in super.
80.00	" " " post for the cor of sec. 35 & 36. Land rolling and rich good for farming; Timber Beech, Sugar, Ash, some Hickory, some Poplar &c

207

T. N. 12 N R. N. 8 W 2<sup>nd</sup> Mer. Ind.

East	On the main line On the S. Boundary of sec. 36. T. 13 N R. 8 W.
40.00	Get the trip. 7 <sup>th</sup> support
46.00	To a brook spring.
55.00	To a brook 8 miles west, corner of.
76.17	Intersect the N. 12 R. 8 W. line. 61 miles South of the S. corner. T. 12 N 13. R. 7 & 8 W. Sends some a last mile.
West	On the true line On the South Boundary of sec. 36 T. 13 N R. 8 W.
40.00	Get the trip. 7 <sup>th</sup> support on the true line from which Beck 3 in dist. bears N 33 W. 6 miles north, & a Do. 6 " " " N 67 E. 10 " "
80.00	Get the trip. 7 <sup>th</sup> post on the true line for the cor. of sec. 35 & 36. from which Beck 12 in dist. bears S 84 E. 35 the north, & a Do. 12 " " " S 77 W 38 " "
West	On the true line On the South Boundary of sec. 35. T. 13 N R. 8 W.
40.00	Get the trip. 7 <sup>th</sup> support at the corner on the true line from which Logwood 15 in dist. bears S 77 W. 28 miles north, and a Logwood 5 " " " S 68 E. 2 " "
80.00	Get the trip. 7 <sup>th</sup> post on the true line for the cor. of sec. 34 & 35 from which R. Oak 30 in dist. bears S 57 W 32 the north, and a Beck 13 " " " N 23 W 17 " "
West	On the true line between sec. 3 & 34. T. 12 N 13. R. 8 W. 5 " " " On the South Boundary of sec. 34.
40.00	Get the trip. 7 <sup>th</sup> support at the true line from which W Oak 12 in dist. bears S 38 W 25 miles north, & a Maple 16 " " " S 75 E. 31 " "
80.00	Get the trip. 7 <sup>th</sup> post on the true line for the cor. of sec. 34 & 35 from which Beck 12 in dist. bears N 38 W 26 miles north and a Do 12 " " " S 38 E. 25 " "



T. N. 12. S. R. N. 8 W 2<sup>nd</sup> Mer. Ind.

West On the true line On the South Boundary of sec. 23.  
T. 13. S. R. 8 W.  
40.00 Set the temp. 1<sup>st</sup> in support on the true line from which,  
80.00 Set the temp. 1<sup>st</sup> post on the true line for the cn of sec. 22 & 23.  
from which, W. Ash. 5 in dia. trees. S. 71. 21. links each;  
oak & Do. 5 " " " N 25 E. 1 " "

West On the true line On the South Boundary of sec. 22,  
T. 13. S. R. 8 W.  
40.00 Set the temp. 1<sup>st</sup> in sec. post at the true line from which,  
W. Ash. 12 in dia. trees. S. 49 W. 23 links each; &  
Sugar. 12 " " " N 35 E. 19 " "  
80.00 Set the temp. 1<sup>st</sup> post on the true line for the cn of sec. 31 & 32  
from which, Do. 14 in dia. trees. N 62 W. 26 links each;  
oak & W. Oak. 36 " " " S 25 W. 20 " "

West On the true line On the South Boundary of sec. 31.  
T. 13. S. R. 8 W.  
40.00 Set the temp. 1<sup>st</sup> in support on the true line from which,  
W. Ash. 10 in dia. trees. N 75 E. 4 links each; &  
Elm. 9 " " " N 42 W. 20 " "  
80.00 To the cn of T. 12 & 13. S. R. 8 & 9 W.

West Boundary N. 64° 40' W.  
North On the East Boundary of sec. 36. T. 12. S. R. 9 W.  
22.00 To a Brook 5 links near Corner N.E.  
40.00 Set a 1<sup>st</sup> support from which,  
W. Ash. 36 in dia. trees. S. 71 W. 21 links each; &  
Poplar. 15 " " " N 23 W. 20 " "  
71.50 To a Brook 10 links near Corner W.  
73.00 To a Spring Branch. Corner S.W.  
80.00 Set a post for the cn of sec. 25 & 36. from which,  
W. Ash. 7 in dia. trees. S. 30 W. 45 links each; &  
Do. 9 " " " N 6 E. 16 " "  
Some part land on de part rolling, some Bush, Sugar,  
Ash, Nutmeg, Poplar & Corn farming land.

North On the East Bound of eu. 25 T. 12. N. R. 9 N.  
 40.00 Set a 7<sup>th</sup> support from whiter  
 Back 19 in dist. time. N 86 N. 15 links each, 8<sup>th</sup>  
 N 10<sup>th</sup> — " " " N 32 E 30 " "  
 79.00 To a Brook. 6 links each, corner N.  
 80.00 Set a post for the end of eu. 24 & 25. from whiter  
 Sugar. 9 in dist. time. N 44 N. 15 links each, 8<sup>th</sup>  
 Chap. 13 " " " N 87 N. 21 " "  
 Land and Timber Same. Rich soil Hand some farm-  
 ing land.

---

North On the East Bound of eu. 24. T. 12 N. R. 9 N.  
 23.00 To a Brook. 8 links each, corner N.  
 40.00 Set a 7<sup>th</sup> support from whiter  
 Sugar. 12 in dist. time. N 66 E 64 links each, 8<sup>th</sup>  
 No 10 " " " S 21 E 78 " "  
 80.00 Set a post for the end of eu. 13 & 24 from whiter  
 Sugar. 14 in dist. time. S 75 N. 136 links each, 8<sup>th</sup>  
 No. 13 " " " S 57 N. 101 " "  
 Land and Timber Same. R<sup>st</sup> state soil.

---

North On the East Bound of eu. 13. T. 12 N. R. 9 N.  
 37.50 To a Brook. 30 links each, corner N.  
 40.00 Set a 7<sup>th</sup> support from whiter  
 Height 11 in dist. time. S 71 E 18 links each, 8<sup>th</sup>  
 Sugar. 11 " " " N 11 N. 27 " "  
 80.00 Set a post for the end of eu. 12 & 13 from whiter  
 Height 7 in dist. time. S 63 N. 22 links each, 8<sup>th</sup>  
 Height 12 " " " N 64 N. 23 " "  
 The most of this mile is bare land. Timber Rich Sugar &  
 Hickory Poplar &c. 2<sup>nd</sup> state.

---

North On the East Bound of eu. 12. T. 12 N. R. 9 N.  
 10.50 To a Brook. 6 links each, corner N.  
 40.00 Set a 7<sup>th</sup> support from whiter  
 Back 13 in dist. time. S 57 N. 30 links each, 8<sup>th</sup>

T. N. 12. N. 8. 72<sup>nd</sup> W. Ind.

80.00 Sugar. 8 in dia. beam. N 16 E. 24 links out;  
 Set a post for the cn of sec. 12 & 13. from which  
 Sugar. 15 in dia. beam. N 53 W. 16 links out; &  
 Elm. 15 " " " N 65 E. 33 " "  
 Can do nothing on the creek on the beam as no for farming.

North On the East Branch of sec. 1. T. 12. N. 8. 72<sup>nd</sup> W.  
 15.00 To a small Brook Corner W.  
 29.50 " " " " " "  
 40.00 Set a post for the cn of sec. 12 & 13. from which  
 Hickory 7 in dia. beam. S 81 E. 9 links out; &  
 W Oak. 11 " " " N 60 W. 12 " "  
 45.35 To a Brook. 3 links via, Corner W.  
 80.00 Set a post for the cn of sec. 12 & 13. N. 8. 72<sup>nd</sup> W. from  
 which Hickory 18 in dia. beam. S 29 W. 4 links out; &  
 W Walnut 9 " " " N 71 E. 24 " "  
 Land good for farming; Timber Oak, Hickory, Poplar,  
 & Ash, & Walnut. Sugar & s. p. oak & s. o.  
 Surveyed by  
 William Harris Esq.

## Subdivisions

South Bottom Sec. 35 & 36. T. 12. N. 8. 72<sup>nd</sup> W.  
 27.00 To a Brook 30 links via, Corner S. W.  
 40.00 Set a post for the cn of sec. 12 & 13. from which  
 Sugar. 12 in dia. beam. S 44 E. 18 links out; &  
 Logwood 5 " " " S 59 W. 12 " "  
 80.00 To the post cn of sec. 35 & 36.  
 Timber Blom down by High mounds.

East On the Remains line between Sec. 25 & 36. T. 12. N. 8. 72<sup>nd</sup> W.  
 40.00 Set a temporary post  
 80.53 Intersect the East Branch 110 links South of the post  
 on sec. 25 & 36.  
 Land low & wet. Timber Oak Ash & Hickory mostly  
 Blom down by High mounds

*T. N. 12. N. R. N. 8 W. 2<sup>nd</sup> Mer. Ind.*

West. On a line between Sec. 25 & 26 T. 12 N. R. 7 W.  
40.26 Set the tripst in a post at the cross on the line  
from which N Oak. 14 in air. beam. S 13 E. 48 miles each. to  
Lo. 12. " " N 46 W. 75 " "  
80.53 To the post on of sec 25 26. 35 & 36.

North Between Sec. 25 & 26. T. 12 N. R. 8 W.  
27.05 To a Brook 20 miles min, corner S. W.  
40.00 Set a post from which  
N Oak. 12 in air. beam. S 51 E. 29 miles each. to  
B Oak. 18 " " S 58 W. 26 " "  
80.00 Set a post for the cor of sec. 23, 24, 25 & 26. from which  
N Oak. 24 in air. beam. S 25 E. 14 miles each. to  
Lo. 14 " " " N 48 W. 15 " "  
Land set. 1/2 mile rolling. The last land on a mt. Similar  
Oak, Walnut, Peach, & Elm. Land 2<sup>nd</sup> rate.

East On a line between Sec. 24 & 25. T. 12 N. R. 9 W.  
38.00 To a Brook 10 miles min, corner S. W.  
40.00 Set a tripst in a post.  
80.64 To the N. 1/2 Range line 50 miles South of the post  
on of sec. 24 & 25.  
Land rolling and good for farming. Similar Walnut,  
Sugar, Ash, Poplar &c.

West On a line between Sec. 24 & 25. T. 12 N. R. 8 W.  
40.25 Set the tripst in a post at the cross on the line  
from which Sugar. 12 in air. beam. N 86 E. 16 miles each.  
and also N Oak. 15 " " " N 70 W. 12 " "  
80.64 To the post on of sec. 23, 24, 25 & 26.

Wednesday Feb. 7 14. 1814

North Between Sec. 23 & 24. T. 12 N. R. 8 W.  
5.50 To a Brook 5 miles min, corner S. E.  
40.00 Set a post from which  
Oak. 6 in air. beam. S 87 E. 10 miles each. to



## T. N. 12. N.R. No. 77 Quad (Mm. Ind.)

Height 12 in dist. from N 77 W. 26 links each; &  
 80.00 Set a post for the cor. of cor. 13. 14. 23 & 24 in a Brook. 00  
 links wide, corner N. W. from whittage  
 E. 15 in dist. from N 75 E. 27 links each; &  
 S. 11, " " South 17, " "  
 Land to South 1/2 mile level and wet, last 1/2 mile rolling  
 and good for farming. Timber Hickory, Birch, Sugar,  
 Gum & Elm.

East Quakam now line between Sec 13 & 24 T. 12 N.R. 8 W.  
 30.00 Top Brook. 8 links wide, corner S. W.  
 40.00 Set a temporary post in easement.  
 80.58 Into cut the N 75 line 28 links South of the post cor. of  
 Sec 13 & 24.  
 Land rolling and muddling good for farming;  
 Timber Oak, Hickory, ash & Gum. East 1/2 mile rather wet

West On the line between Sec 13 & 24 T. 12 N.R. 8 W.  
 40.29 Set the temporary post in easement at the cor. dist. on the line from  
 11 links, N Oak. 10 in dist. from S 71 E. 33 links each; &  
 23 Oak. 27, " " " S 84 W. 24, " "  
 80.58 To the post cor. of cor. 13. 14. 23 & 24.

South Return Sec 13 & 24 T. 12 N.R. 8 W.  
 28.07 To a small Brook corner S. W.  
 40.00 Set a post in easement from which  
 Brook. 14 in dist. from N 75 E. 10 links each; &  
 N Oak 9, " " " S 25 W. 39, " "  
 60.00 To a Brook 8 links wide, corner W.  
 78.00 " Do. 8 " " " "  
 80.00 Set a post for the cor. of Sec 11. 12. 13 & 24 from which a  
 Brook. 27 in dist. from N 55 E. 14 links each; &  
 Sugar. 10, " " " S 65 W. 23, " "  
 Land set 1/2 mile rolling and good for farming.  
 " last 1/2 " level and wet.  
 Timber same.)

See



T. N. 12. N. R. No 877 2<sup>nd</sup> Mer. Ind.

Buck 11 in dia? bears N 59 E 40 links each. 80.  
 Dugm. 11 " " " N 58 77. 14 " "  
 53 00 Calcrak 30 links each corner N.  
 70.00 " " Brook 8 " " " S. W.  
 81.17 Intreat the N Boundary 67 links West of the post on of  
 Sec. 35 & 36. T. 13. N. R. 877 and set apart for the cor of "  
 " 1 & 2 from which  
 Buck 12 in dia? bears S 72 E 26 links each. 80.  
 Dg. 9 " " " N 45 E 27 " "  
 Land rolling or broken Good farming land.

South On a line line between Sec 34 & 35. T. 12. N. R. 877  
 40.00 Set a post 7/8 in dia?  
 80.00 Set a post the South Boundary 31 links West of the post cor of  
 Sec. 34 & 35.  
 Land on the 1/2 mile from each end: last 1/2 mile rolling  
 timber all fallen down by high winds

North On the true line between Sec 34 & 35. T. 12. N. R. 877  
 40.00 Set the temporary post at the cor with on the true line  
 from which Cassiafras 5 in dia? bears N 12 E 33 links each  
 under Poplar. 27 " " " N 60 E 7 " "  
 80.00 On the post cor of sec. 26. 27. 34 & 35.

Feb. 13. 1814.  
 East Between Sec 26 & 35. T. 12. N. R. 877  
 13.00 Set a post 6 links in dia? corner S.  
 40.00 Set a post 20 feet from which  
 Buck 14 in dia? bears N 6 E 10 links each. 80.  
 Dugm. 30 " " " S 47 W 51 " "  
 45.00 Set a post 25 links in dia? corner S. W.  
 80.00 Set a post for the cor of sec. 25 26. 35 & 36 from which  
 Buck 15 in dia? bears N 89 W 30 links each. 80.  
 W. Oak 24 " " " N 27 E 20 " "  
 Land rolling and good for farming. Timber Oak Buck

215

T. N. 12 S. R. N. 8 W 2<sup>nd</sup> (Mm. And.)  
 & Poplar, & Gum

North 40.00	Between Sec. 26 & 27 T. 12 N. R. 8 W Set a 1/2 suppost from which a in dist. line. S 17 E. 31 links east; & Gum. 8 in " " N 62 W. 4 "
80.00	Set a post for the cor of sec. 22, 23, 26 & 27. from which Gum 9 in dist. line. S 6 E. 28 links east; & E. 27 " " East 9 " " Sound hole and out; Timber Oak, Hickory, Gum & Maple.
West 40.00 79.77	On a line between Sec. 23 & 26. T. 12 N. R. 8 W. Set a temp. 1/2 suppost. Enter cut the N 53 line 37 links South of the post cor of sec. 23, 22, 27 & 26. Sound hole and out; Timber Oak, Hickory & Gum, & Elm.
East 39.88 79.77	On the line between Sec. 23 & 26 T. 12 N. R. 8 W. Set the temp. 1/2 suppost at the cor with in the line from which, Poplar, 27 in dist. line N 51 W 36 the east; & W Oak. " " " S 58 W 20 " " To the post cor of sec. 23, 24, 25 & 26.
North 40.00	Between Sec. 22 & 23. T. 12 N. R. 8 W. Set a 1/2 suppost from which Elm 10 in dist. line. N 44 E. 9 links east; & W Ash. 12 " " S 17 W. 16 "
80.00	Set a post for the cor of sec. 14, 15, 22 & 23 from which Gum 14 in dist. line N 9 W. 18 links east; & W Ash. 18 " " " N 75 E. 41 " Sound hole and out; Timber Oak, Hickory, Gum & Maple.
West 25.00 40.00	On a line between Sec. 14 & 23 T. 12 N. R. 8 W To a Brook 10 links wide, corner NW Set a temp. 1/2 suppost



## T. N. 12 N. R. N. 8 W 2nd Mer. Ind.:

65.00 To a Brook 10 miles wide, corner N.W.  
 79.71 Into Sect the N & S line 21 miles South of the post on of sec.  
 14 15. 22 & 23.  
 Land is rolling up to good for farming; Timber Oak, Hickory  
 Poplar, Ash, Sugar. Birch, &c.

East On the new line between Sec. 14 & 23 T. 12 N. R. 8 W.  
 39.85 N. W. Bush 6 in dia. in the line at the arch for the on  
 of the sec.  
 79.71 To the post on of Sec. 13 14. 23 & 24.

South On a Runway line between Sec. 14 & 15 T. 12 N. R. 8 W.  
 40.00 Set a temp. 1/2 in east.  
 55.00 To a Brook 30 miles wide, corner N.  
 79.77 Into Sect the E & W line 36 miles West of the post on of sec.  
 14 15 22 & 23.  
 Land is rather rolling and good for farming;

North On the new line between Sec. 14 & 15 T. 12 N. R. 8 W.  
 39.88 Set the temp. 1/2 in east at the arch in the new line  
 from which, Hickory 18 in dia. bears West 30 miles each; &c.  
 & Sum. 14 " " " N 10 E 24 "  
 79.77 To the post on of sec. 10 11. 14 & 15.

West Between Sec. 11 & 14 T. 12 N. R. 8 W.  
 5.00 To a Brook 8 miles wide, corner N.W.  
 40.00 Set a temp. 1/2 in east from which,  
 Bush 14 in dia. bears N 68 E 24 miles each; &c.  
 Hickory 12 " " " N 81 W 24 "  
 80.00 Set a post for the cor of sec. 10 11. 14 & 15 from which,  
 N Oak 11 in dia. bears N 68 W 25 miles each; &c.  
 Bush 12 " " " N 81 E 8 "  
 Land level and wet; & good for cattle Timber Oak,  
 Birch. Maple. Sum. & Ash.

South On a Runway line between Sec. 20 & 21 T. 12 N. R. 8 W.

40.00 Set a trap 1/2 mi. S. of post.  
 79.68 Intersub. to E. W. line. 31 miles West of the post on of Sw.  
 10.11.14 & 15.  
 Land near by some (part middling farming) land.

North On the line between Sw. 10 & 11. T. 12. N. R. 877.  
 39.84 Set the trap 1/2 mi. S. of post at the ar. dish on the line line from.  
 which, Oak. 9 in dia. trees. 142 E. 25 miles north,  
 and a Birch. 13 " " N 61 W 32 " "  
 79.68 To the post on of Sw. 2, 3 10 & 11.

# North Between Sw. 2 & 3. T. 12. N. R. 877.  
 7.00 To a small Brook. Corner N. E.  
 40.00 Set a trap 1/2 mi. S. of post from which  
 Sugar. 12 in dia. trees. 157 W. 14 miles north; Pa,  
 Ho. 10 " " N 38 E. 9 " "  
 79.00 To a place 30 miles north, Corner W.  
 81.25 Intersub. to N. Boundary 78 miles West of the post on of  
 Sw. 34 & 35. T. 13. N. R. 877 and set apart for the on of  
 " 2 & 3. from which  
 Sugar. 12 in dia. trees. N 21 W. 15 miles north; Pa,  
 Birch. 24 " " S 57 E. 48 " "  
 Land set 1/2 mile back last 1/2 to 1/4 mi. Timber Birch, Sugar,  
 Ash & Poplar, Oak & s.

# East Between Sw. 2 & 11 T. 12. N. R. 877  
 20.00 To a Brook 10 miles north, Corner N.  
 40.00 Set a trap 1/2 mi. S. of post from which  
 W Oak. 10 in dia. trees. S 25 W. 14 miles north; Pa,  
 Sugar. 9 " " N 38 E. 23 " "  
 51.00 To a Brook 20 miles north, Corner N W  
 80.00 Set apart for the on of Sw. 1, 2, 11. & 12.  
 A Poplar. 9 in dia. stands for the on of Sw. 1, 2, 11. & 12  
 Land on the broken Timber Birch, Ash, Poplar, & Sugar,  
 middling good for farming.

T. N. 12. N. R. N. 87<sup>th</sup> Quad. Min. Ind.

Friday Feb 11. 1814

North Between Sec. 33 & 34 T. 12. N. R. 87<sup>th</sup>.  
 40.00 Set a 1/4 section from which  
 12 cu. 15 in dia. trees. 86 E. 8 links north, &c.  
 E. 15 " " " 45 N. 3 " "  
 80.00 Set a post for the cor. of sec. 27, 28, 33 & 34 from which  
 11 Oak. 6 in dia. trees. 853 N. 5 links north, &c.  
 Do 3 " " " 124 N. 13 " "  
 Timber Birch, W & B Oak, Hickory. Land hard and  
 good for farming.

Feb. 12. 1814.

East Between Sec. 27 & 34 T. 12. N. R. 87<sup>th</sup>.  
 40.00 Set a 1/4 section from which  
 11 Oak. 6 in dia. trees. 177 N. 10 links north, &c.  
 Elm. 12 " " " 13 E. 33 " "  
 80.00 Set a post for the cor. of sec. 26, 27, 34 & 35 from which  
 Elm. 4 in dia. trees. 865 N. 8 links north, &c.  
 Elm. 5 " " " 158 E. 12 " "  
 Land hard and wet; Timber Oak, Elm, Maple, ash Birch, &c.

North Between Sec. 27 & 28 T. 12. N. R. 87<sup>th</sup>. Quad. Min.  
 40.00 Set a 1/4 section from which  
 Sugar. 10 in dia. trees. 110 E. 20 links north, &c.  
 Do 8 " " " 65 N. 10 " "  
 80.00 Set a post for the cor. of sec. 21, 22, 27 & 28 from which  
 Sugar. 18 in dia. trees. 150 E. 18 links north, &c.  
 Callagras. 8 " " " 136 N. 19 " "  
 Land hard and good for farming; Timber Birch W & B Oak,  
 Hickory &c.

West Between Sec. 22 & 27 On a narrow line T. 12. N. R. 87<sup>th</sup>  
 40.00 Set a township 1/4 section  
 79.90 Into sec. 27 the NW 1/4 line 14 links South of the first cor. of sec.  
 21, 22, 27 & 28.  
 Land hard and rather wet; middling good for farming.

T. N. 12. N. R. N. 8 W 2nd Mer. Ind.

219

East On the line between Sec. 22 & 27. T. 12 N. R. 8 W.  
39.96 Set the trip. 7 1/2 supst at the ar. arch on the line from which  
Edm. 11 in dia. trees. 89 W. 14 miles west, &  
73. 94 1/4 " " " 165 E. 3 " "  
79.92 To the post cr. of sec. 22, 23, 26 & 27.

North Between Sec. 21 & 22 T. 12 N. R. 8 W.  
9.10 To a Brook. 6 miles mid, corner N. W.  
14.50 To " Do. 8 " " " " "  
40.00 Set a 1/2 supst from which  
73. 94 1/4 in dia. trees. North. 19 miles west. &  
77. 94 1/4 " " " 122 E. 13 " "  
64.50 To a Brook. 7 miles mid, corner N. W.  
80.00 Set a post for the cr. of sec. 15, 16, 21 & 22 from which  
77. 94 1/4 in dia. trees. 161 E. 6 miles west: &  
Eng. 15 " " " 126 W. 3 1/2 " "  
Miles Eng. Ash, W Oak, Birch, Larch for farming.

West On a Roman line between Sec. 15 & 22 T. 12 N. R. 8 W.  
40.00 Set a trip. 7 1/2 supst  
80.18 Set out the N. W. line 9 miles South of the post cr. of sec.  
15, 16, 21 & 22.  
Larch, Ash, Birch, & Oak. Spent evening, Miles Oak,  
Hickory, Ash, Elm, Maple, &c. Good for farming.

East On the line between Sec. 15 & 22 T. 12 N. R. 8 W.  
40.09 Set the trip. 7 1/2 supst at the ar. arch on the line from  
from which 77. 94 1/4 in dia. trees. 167 W. 7 miles west: &  
Hickory 20 " " " 145 W. 15 " "  
80.18 To the post cr. of sec. 14, 15, 22 & 23.

South On a Roman line between Sec. 15 & 16 T. 12 N. R. 8 W.  
20.00 To a Brook 8 miles mid, corner W.  
40.00 Set a trip. 7 1/2 supst  
43.00 To a Brook 30 miles mid, corner S. W.  
79.64 To the post cr. of sec. 14, 15, 22 & 23.



## T. N. 12 N.R. N. 8 W 2nd Mer. Ind. a

15 1/2 Sec. 21. 1822.

Land excellent for farming; Timber same.

North	On the true line between Sec. 15 & 16. T. 12 N.R. 8 W.
39.82	Set the temp. 1/4 sup. post at the ar. arch in the true line from which a Dogwood 8 in dia. bears N 83 W. 16 links north; Pa. Beech. 14 " " " N 56 E. 19 " "
79.64	Set the post on of sec. 9. 10 15 & 16.
West	On the true line between Sec. 10 & 15 T. 12 N.R. 8 W.
40.00	Set the temp. 1/4 sup. post.
80.86	Set a post on the N & S line 6 links south of the temp. 1/4 post on of sec. 9. 10 15 & 16. Land good & moist; Timber same.
East	On the true line between Sec. 10 & 15 T. 12 N.R. 8 W.
40.463	Set the temp. 1/4 sup. post at the ar. arch on the true line from which, 11 Oak. 18 in dia. bears N 73 E. 9 links north; Pa. Poplar. 14 " " " S 62 W. 24 " "
80.86	Set the post on of sec. 10. 11. 14 & 15.
This day Feb. 15. 18. 14	
North	Between Sec. 9 & 10. T. 12 N.R. 8 W.
13.50	Set a post 6 links north, corner W.
25.00	Set a post 10 " " " " " S.W.
40.00	Set a post sup. post from which on Oak. 8 in dia. bears N 36 W. 24 links north; Pa. Beech. 10 " " " S 36 E. 11 " "
80.00	Set a post for the cor. of sec. 3. 4 9 & 10. from which, Poplar, 27 in dia. bears S 11 E. 19 links north; Pa. Beech. 14 " " " N 88 E. 21 " "
	Land excellent for farming; Timber Poplar Ash, & Oak. 1/2 inch dia.
East	Between Sec. 3 & 10 T. 12 N.R. 8 W.
40.00	Set a post sup. post from which,

221

J. N. 12. N.R. N. 8 W 2<sup>nd</sup> Mer. Ind.

J. Oak 6 in diam. trees. N 54 W 17 links dist; to  
 Hick 9 " " " S 67 E. 24 " "  
 80.00 Set apart for the cor of sec. 2, 3, 10 & 11 from which  
 W Oak. 14 in diam. trees N 46 W. 16 links dist; to  
 Do. 24 " " " N 31 E. 29 " "  
 Land wooded with Timber Oak, Elm, Ash & Gum &c.  
 Land good for Grass

---

North Return Sec. 3 & 4. J. 12. N.R. 8 W  
 40.00 Set a 7<sup>th</sup> sapost from which  
 Sugar. 10 in diam. trees S 19 E. 18 links dist; to  
 W Oak. 8 " " " S 78 E. 19 " "  
 81.10 Enter set the 13 Bound. 83 links West of the post cor  
 of sec. 33 & 34 J. 13. N.R. 8 W and set apart for the cor of  
 " " 3 & 4 from which  
 Sugar 9 in diam. trees. S 30 E. 14 links dist; to  
 Hick. 14 " " " N 39 W. 29 " "  
 Part of this mile land timber some, open land & mts.

July 11. 1814

---

North Return Sec. 32 & 33. J. 12. N.R. 8 W  
 40.00 Set a 7<sup>th</sup> sapost from which  
 W Oak 24 in diam. trees N 40 E 34 links dist; to  
 Do. 24 " " " N 44 W 10 " "  
 80.00 Set post for the cor of sec. 28, 29, 32 & 33. from which  
 Hick 18 in diam. trees. N 79 E. 30 links dist; to  
 Dogwood 7 " " " S 12 W 32 " "  
 Land half water with mudding good for farming  
 Timber Oak, Hick, Hick, Elm &c.

---

East Quaker run line between Sec. 28 & 33. J. 12. N.R. 8 W  
 11.00 To Brook 8 links min, corner N.W.  
 17.00 " " 10 " 8 " " " " N.W.  
 41.00 Set a temp. 7<sup>th</sup> sapost  
 80.22 Enter set the N.W. line 38 links South of the post cor of Sec  
 27, 28 33 & 34

## T. N. 12. N. R. N. 877 Q. n. n. S. n. n.

Land and timber same.

West	On the line between Sec. 28 & 33. T. 12. N. R. 877
40.11	Set the trap in a post at the arch on the line from which, 11 Oak 8 in dia. trees N 30 E 13 trees ash under maple. 15 " " " 38 77 23 " "
80.22	To the post on of sec. 28, 29, 32 & 33.
North	Between Sec. 28 & 29. T. 12. N. R. 877.
6.00	To a Brook 8 miles, corner N. W.
40.00	Set a post from which 11 Oak 11 in dia. trees. 22 77 7 trees ash, 22 Ash 11 " " " N 51 E 5 " "
62.00	To a Brook 10 miles, corner W.
80.00	Set a post for the corner of sec. 20, 21, 28 & 29 from which White 12 in dia. trees. 19 77 44 trees ash; 22 Elm. 7 " " " N 8 E 49 " " Land well suited for farming. Timber Elm, Ash, &c.
East	On the line between Sec. 21 & 28. T. 12. N. R. 877
40.00	Set a trap in a post
80.47	Intersect the N. W. line 18 miles south of the post on of Sec. 21, 22, 27 & 28.
West	On the line between Sec. 21 & 28. T. 12. N. R. 877
40.23	Set the trap in a post at the arch on the line from which a 11 Oak 6 in dia. trees. 24 97 6 trees ash; 22 White 5 " " " N 64 E 16 " "
80.47	To the post on of sec. 20, 21, 28 & 29.
North	Between Sec. 20 & 21. T. 12. N. R. 877
27.00	To a Brook 4 miles, corner S. E.
40.00	Set a post from which Poplar. 15 in dia. trees N 28 E. 24 trees ash; 22 Sugar. 9 " " " S 58 77 33 " "

223

T. N<sup>o</sup> 12. N.R. N. 8 W 2<sup>nd</sup> Mer. Sur.

59.00	Long Brook 10 links mid, corner W
62.00	" " 15 " " " "
80.00	Set apart for the cor of ew. No. 17. 20 & 21. from whike, W Oak. 12 in dia: beam. S 57 W. 12 links arch, & Sugar. 16 " " " " N 25 E 36 " " Lands good for farming; Timber T. Oak, Oak, & Pecan.

Saturday Feb 7 12. 1814

West	Quadrant line between Sur 16 & 21. T. 12 N. R. 8 W
12.00	Long Brook 6 links mid.
45.00	Set a trip. 7 in support.
74.50	To a Birch. 7 links mid, corner N. W.
84.82	Enter sub. the N. W. 5 (7 links North of the post cor of Sur 16, 17, 20 & 21. Lands good for farming; Timber Sugar, Oak, & W Oak, Birch.

East	Quadrant line between Sur 16 & 21. T. 12 N. R. 8 W
40.41	Set the trip. 7 in support at the corner on the line from whike, W Oak. 10 in dia: beam. N 45 W. 35 links arch, Sugar. 8 " " " " N 52 E 33 " " 80.82 To the post cor of ew. 15 16. 21 & 22

North	Between Sur 16 & 17. T. 12 N. R. 8 W.
3.50	Long Brook 6 links mid, corner W.
40.00	Set a post from whike, W Oak. 18 in dia: beam. S 18 W. 39 links arch, & Sugar. 11 " " " " N 35 E 20 " " 44.50 Long Brook 30 links mid, corner W
80.00	Set apart for the cor of ew 8. 9. 16 & 17 from whike, W Oak. 9 in dia: beam. S 16 W. 39 links arch, & Sugar. 7 " " " " N 40 E 33 " " Lands part some & part low into back bottom.

East	Between Sur 9 & 16. T. 12 N. R. 8 W
32.00	Long Brook 12 links mid, corner N. W.



T. N: 12 NR N: 877 2<sup>nd</sup> Mm Ind:

- 41.00 Set a trap east from whike,  
Beck 11 in dist. from. S60E 24 miles each, Pa,  
Sagon. 10 " " " S48 W9 " "
- 47.50 To a Brook 10 miles wide, corner S. W.
- 80.00 Set a post for the cor of sec. 9. 10. 15 & 16 from whike,  
Beck 10 in dist. from. N63E 13 miles each, Pa,  
W Oak. 11 " " " N84 W. 48 " "  
Sage, rolling and good for farming. Timber Beck,  
Sagon, Poplar, Mahogany, Ash &c.

- South On a new line between Sec. 8 & 9 T. 12 NR. 877
- 40.00 Set a trap 1/2 mi. east
- 80.00 Intersect the E 77<sup>th</sup> line 9 miles West of the first cor.  
of sec. 8. 9. 16 & 17.

- North On the new line between Sec. 8 & 9 T. 12 NR. 877.
- 40.00 Set the trap 1/2 mi. east at the corner on the new line  
from whike, W Beck, 3 in dist. S35 W 8 miles each  
and on Dogwood 4 " " " N75 W 10 " "
- 80.00 To the post cor of sec. 4. 5. 8 & 9.

- East On a new line between Sec. 4 & 9 T. 12 NR. 877
- 20.00 To a swamp
- 37.50 Padded it
- 40.00 Set a trap 1/2 mi. east.
- 43.00 To a Brook 10 miles wide, corner S.
- 57.00 " " Do. 7 " " " S.
- 80.54 Intersect the N 75 line 15 miles South of the post cor of  
Sec. 3. 4 & 10.

- West On the new line between Sec. 4. & 9 T. 12 NR. 877
- 40.27 Set the trap 1/2 mi. east at the corner on the new line  
from whike, N 64 E 8 in dist. from N64 E 11 miles each  
and on Oak 6 " " " S64 W 7 " "
- 80.54 To the post cor of sec. 4. 5. 8 & 9.



T. N. 12. N. R. N. 877. 2<sup>nd</sup> M. S. 1814

West Return Dec. 30 & 31 T. 12. N. R. 877.  
 40.00 Set a p. sapst from which  
 Beech. 18 in dia. beam. N 56 W. 18 links dist. to  
 Syc. 18 in " " S 20 E 38 " "  
 47.00 To a Brook. 7 links in w, corner N. W.  
 76.06 Intersect the West Branch. 40 links North of the post  
 on of sw. 25 & 36. T. 12. N. R. 977 was set apart for the  
 " " " 30 & 31 from which  
 Walnut. 8 in dia. beam. S 10 E. 28 links dist. to  
 N. Oak. 12 " " " N 27 E. 43 " "  
 Timber B & W Walnut, Hickory & Beech, B & W Oak,  
 & Poplar. Land good for farming.

Sw South Return Dec. 29 & 30 T. 12. N. R. 877. On a Rand. m.  
 40.00 Set a trap. 7 p. sapst  
 79.90 Intersect the E & W line 6 links West of the post on of sw.  
 29.30.31 & 30.  
 Land level; Timber Beech. Oak, Hickory, Poplar Ash, & V.

North On the line between Dec. 29 & 30 T. 12. N. R. 877.  
 39.95 Set the trap. 7 p. sapst at the ar. dist. on the line  
 from which a Elm 10 in dia. beam. N 36 W. 40 links dist.  
 and a Hickory 8 " " " S 36 E. 10 " "  
 79.90 To the post on of sw. 19.20-29 & 30.

West Return Dec. 20 & 29 T. 12. N. R. 877 Feb. 7 13<sup>th</sup> 1814  
 33.00 To a Brook 10 links in w, corner N. W.  
 40.00 Set a p. sapst from which  
 Beech. 18 in dia. beam. N 30 E. 13 links dist. to  
 Hognut 6 " " " N 70 W. 24 " "  
 69.50 To a Brook. 7 links in w, corner N. W.  
 50.00 Set apart for the cor. of sw. 19.20.29 & 30 from which  
 N Oak. 18 in dia. beam. N 22 E. 30 links dist. to  
 Syc. 15 " " " S 20 W. 22 " "  
 Land level; Timber Oak. Hickory, Poplar Ash & Beech  
 V.

## T. N. 12. N. R. No 8 W. 2nd Mer Ind.

West	Return Jul 19 1830 T. 12 N. R. 8 W.
11.50	To a Brook 7 miles mid, Corner W.
40.00	Set a 7 <sup>th</sup> sap post from which W Walnut. 4 in dia: trees N 60 E. 24 links each, to W Oak. 30 " " " S 42 N. 42 " "
63.50	To a Brook 7 miles mid, Corner W.
76.22	Enter cut the West Boundary 9 miles South of the post. on of sec. 24 & 25. T. 12 N. R. 8 W. and set a post for the cut. " " 19 1830 from which Beech & in dia: trees N 42 W. 14 links each, to Sugar. 6 " " " S. 18 E. 17 " " Land good for farming; timber Beech. Oak. B. & W. Oak, B. & W. Walnut. &c.
North	Return Jul 19. 1830 T. 12 N. R. 8 W.
19.00	To a Brook Corner W.
40.00	Set a 7 <sup>th</sup> sap post from which Sugar. 18 in dia: trees S 21 E. 14 links each, to Do. 12 " " " S 57 W. 21 " "
81.00	Set a post for the cut of sec. 17, 18, 19 & 20 from which B Walnut. 4 in dia: trees S 34 E. 7 links each, to W Walnut 3 " " " N 48 W. 7 " " Land & timber same.
East	On a Run across line between Jul. 17 1820 T. 12 N. R. 8 W.
40.00	Set a temporary sap post.
63.00	To a Brook 30 miles mid, Corner W.
80.00	Enter cut the N. B. line 39 miles North of the post on of sec. 16, 17, 20 & 21.
West	On the same line between Jul. 17 1820 T. 12 N. R. 8 W.
40.00	Set the temporary sap post at the arched on the same line from which a Maple. 18 in dia: trees N 23 E. 23 links each, and a W Walnut 8 " " " S 45 W. 15 " "
80.00	To the post on of sec. 17, 18, 19 & 20.



T. N. 12 N. R. N. 8 W 2<sup>nd</sup> Mer. Sec.

West Return Sec 18 & 19 T. 12 N. R. 8 W  
 0.86 To a Brook Corner N.  
 40.00 Set a 7<sup>th</sup> corner from which  
 N Oak. 24 in dia: bears N 35 E 4 links dist.  
 50.50 To a Brook 8 links side Corner N.  
 76.61 Enter the West Boundary 20 links South of the post  
 on of sec. 13 & 24 T. 12 N. R. 9 W and set apart  
 " " " 18 & 19 from which  
 N Oak. 10 in dia: bears N 49 E 68 links dist. In  
 Co. 10 " " " N 86 W 70 "  
 Land high and good for farming: Land set 1/2  
 mile fallen timber

North Return Sec 17 & 18. T. 12 N. R. 8 W.  
 23.00 To a Brook 30 links side, Corner W  
 30.30 " " Do. 40 " " " W  
 40.00 Dr. Lu cor stands in a Branch of the Creek.  
 80.00 Set apart for the cor of sec 7, 8, 17 & 18 from which  
 Elm 24 in dia: bears S 28 E 15 links dist. In  
 Sugar. 18 " " " N 76 E 33 "  
 Land set 1/2 mile low & mt. Lush 1/2 mile high.  
 Land good for farming: Timber B. Walnut, Sugar,  
 Birch & Poplar, Monday 12. 1844.

East On a Roman line between Sec 8 & 17 T. 12 N. R. 8 W  
 40.00 Set a timber 7<sup>th</sup> corner.  
 61.00 To a Brook 30 links side, Corner T. W.  
 80.44 Enter out the N 73 line 5 links North of the post on of  
 Sec 8, 9, 16 & 17  
 Land good for farming: Timber Beech, Sugar Poplar  
 &c.

West On the true line between Sec 8 & 17 T. 12 N. R. 8 W  
 40.22 Set the timber 7<sup>th</sup> corner at the cor with on the true line  
 (from which) An Elm 12 in dia: stands for the cor.  
 50.44 Set the post on of sec 7, 8, 17 & 18.

West Between Sec. 7 & 8 T. 12 N. R. 8 W.  
 40.00 Set a 1/2 report from whike,  
 W Oak. 15 in dia: trees. 926 G. 20 links each; 7a,  
 Do. 8 " " " 944 W. 39 " "  
 76.54 Intervent the West Brook. 50 miles South of the first cr.  
 of sec. 12 & 13 T. 12 N. R. 9 W. and set apart for the cr. of  
 7 & 8 from whike,  
 Engon. 18 in dia: trees. 967 G. 9 links each; 7a,  
 W Oak. 18 " " " 940 W. 23 " "  
 Land good for farming; Timber Engon. Poplar Birch &c

---

North Between Sec. 7 & 8. T. 12 N. R. 8 W.  
 26.00 To a Brook. 6 miles N.W. corner W.W.  
 40.00 Set apart for the cr. of 7 & 8 from whike,  
 Engon 15 in dia: trees. 965 G. 29 links each; 7a,  
 Poplar. 24 " " " 947 W. 44 " "  
 75.00 To a Brook. 6 miles N.W. corner W.  
 80.00 Set apart for the cr. of sec. 5, 6, 7 & 8. from whike,  
 Engon. 10 in dia: trees. 973 G. 20 links each; 7a,  
 Elm. 8 " " " 911 W. 20 " "  
 Land & excellent for farming; Timber Same.

---

East Between Sec. 5 & 8. T. 12 N. R. 8 W.  
 40.00 Set a 1/2 report from whike,  
 Birch 10 in dia: trees. 980 W. 14 links each; 7a,  
 Engon. 8 " " " 973 G. 30 " "  
 62.00 To a Brook. 8 miles N.W. corner W.W.  
 76.00 " " Do. 8 " " " 977 W.  
 80.00 Set apart for the cr. of sec. 4, 5, 8 & 9 from whike,  
 W Oak. 8 in dia: trees. 967 W. 8 links each; 7a,  
 Do 15 " " " 975 G. 33 " "  
 Land excellent for farming; Timber Same.

---

West Between Sec. 6 & 7 T. 12 N. R. 8 W.  
 2.50 To a Brook. 10 miles N.W. corner S.  
 30.00 " " Do. 8 " " " "

## T. N. 12. S. R. N. 8 W. Quad. Min. Ind.

40.00 Let a 1/4 section from which,  
 W Oak. 18 in diam. beams. East 9 links mid. Fa,  
 Sugar. 15 " " " N 27 W 4 1/4 "  
 50.00 To about. 8 links mid. comes S.  
 16.86 Intersect the West Boundary 70 links South of the post  
 cr. of sec. 14 1/2 E. 12 N. 8 W. N. Hickory 8 in diam.  
 set up at the intersection for the cr. of sec. 6 1/2.  
 Land and timber same.

North Return Sec. 5 1/2. T. 12 N. 8 W.  
 1.50 To about. 10 links mid. comes SW.  
 40.00 Let a 1/4 section from which,  
 W Oak. 36 in diam. beams. N 16 W. 14 links mid. Fa,  
 Beech. 24 " " " N 44 E. 28 " "  
 81.12 Intersect the N Boundary 107 links West of the post cr.  
 of sec. 31 1/2 T. 13 N. 8 W. and set a post for the cr. of  
 " 5 1/2. from which,  
 Beech. 18 in diam. beams. S 24 E. 24 links mid. Fa,  
 Do. 27 " " " N 28 W. 14 " "  
 Land and timber same.

Surveyed by  
 William Harris D.S.

I certify that the foregoing transcript of the field  
 notes of Surveyor N. 12 Range N. 8 West of the  
 2nd Principal Meridian, Indiana has been compared  
 with the Original notes in this Office. and found to be  
 correct.

Surveyor General's Office,  
 Cincinnati Aug. 10 1841

C. S. Haines  
 Sur. Genl.